

# Yilgarn Gold Limited

ACN 002 527 906  
ABN 34 002 527 906

25 February 2004

Manager Announcements  
Company Announcements Office  
Australian Stock Exchange Limited  
20 Bridge Street  
SYDNEY NSW 2000

Dear Sir,

## GOODENOUGH GOLD PROJECT MENZIES, WESTERN AUSTRALIA Completion of Phase 4 & 5 RC Drilling Programme

### Highlights:

- A total of **120** RC holes have been drilled on the Goodenough project.
- Multiple zones of gold mineralisation now exceed 450 metres along strike and 250 metres down dip.
- Gold mineralisation still remains open to the west and south.
- Global resource calculation is currently in progress. This will be followed by pit optimisation studies.
- A new exploration programme is being designed to test the structural corridor to the south west of the Goodenough mineralisation. This area contains numerous old workings that have not been tested using modern exploration drilling techniques.

### Best drill intersections from latest drilling:

(For all one metre results >0.5g/t achieved to date please refer to Table 1)

Hole No	Intersection	Grams Au/Tonne	Interval From
GEN 65	2m	3.92g/t	51m
GEN 66	3m	2.8g/t	60m
GEN 71	1m	7.76g/t	73m
	2m	5.05g/t	88m
GEN 72	1m	10.73g/t	82m
	1m	7.11g/t	85m
	1m	17.59g/t	101m
GEN 86	1m	19.99g/t	64m
GEN 87	3m	3.07g/t	9m
GEN 88	3m	8.32g/t	9m
GEN 90	2m	4.18g/t	11m
GEN 91	1m	3.12g/t	19m
GEN 96	2m	5.75g/t	32m
GEN 97	2m	5.70g/t	30m
GEN 98	1m	6.07g/t	14m
GEN 101	1m	6.07g/t	18m
GEN 104	1m	7.49g/t	83m



**Best drill intersections previously reported:**

Hole No	Intersection	Grams Au/Tonne	Interval From
GEN 05	1m	17.6g/t	51m
GEN 12	1m	17.7g/t	64m
GEN 15	1m	4.73g/t	38m
GEN 17	1m	11.2g/t	39m
GEN 18	1m	7.27g/t	93m
GEN 26	10m	2.86g/t	19m
GEN 29	3m	6.6g/t	28m
GEN 31	4m	1.94g/t	26m
GEN 32	3m	6.24g/t	9m
GEN 33	3m	3.42g/t	15m
GEN 38	5m	7.66g/t	101m
GEN 39	9m	7.07g/t	106m
GEN 43	4m	3.9g/t	118m
GEN 44	2m	15.4g/t	16m
GEN 47	4m	2.99g/t	31m
GEN 50	1m	23.69g/t	29m
GEN 51	1m	4.13g/t	59m
GEN 54	2m	25.66g/t	22m
GEN 56	1m	4.61g/t	46m
GEN 57	1m	6.47g/t	53m
GEN 59	1m	5.09g/t	64m
GEN 61	2m	4.71g/t	53m
GEN 64	2m	4.45g/t	20m
	1m	13.2g/t	71m
	1m	5.11g/t	75m
	1m	3.67g/t	77m
GEN 67	1m	3.73g/t	71m
	1m	4.28g/t	85m
GEN 68	1m	10.23g/t	75m
GEN 69	1m	4.84g/t	77m
GEN 73	2m	25.03g/t	10m
GEN 74	1m	4.39g/t	118m
GEN 75	1m	3.75g/t	114m
	1m	5.39g/t	151m
GEN 76	1m	4.64g/t	29m
GEN 78	2m	9.18g/t	0m
GEN 79	1m	27.01g/t	16m

**Goodenough Phases 4&5 Drilling Results**

The directors of YGL are pleased to announce that the phase 4&5 drilling programmes have successfully extended the strike length of the Goodenough mineralised zone from 300 metres previously reported to over 450 metres. Importantly the mineralisation still remains open both to the south and to the west. Further drilling is planned to test these extensions.

The recent drilling has defined a western high grade mineralised zone from surface to a depth of 80 metres. The mineralisation is dipping at 35 degrees to the south and covers a distance of 200 metres and remains open down dip (see attached cross section).

Details of all drilling to date are included in Table 1 attached.

Calculation of a global resource is currently in progress and is expected early March 2004.


For further information on the Company and a detailed listing of the Company's projects please visit our web site at [www.yilgarngold.com](http://www.yilgarngold.com) or phone Lex Brailey on 08 9227-0197.


Yours faithfully,  
for **YILGARN GOLD LIMITED**

A handwritten signature in black ink, appearing to read 'Lex Brailey', enclosed within a large, loopy circular flourish.

Lex Brailey  
**Managing Director**

*NOTE: This report is based on information compiled by Mr N Taylor MAusIMM MAIG, an employee of the company, who is a competent person as defined in the Australasian Code for Reporting of Identified Mineral Resources and Ore Reserves, September 1992. This report accurately reflects the information compiled by the relevant competent person and is released with his written permission.*





450mRL

450mRL

6715500mN

6715400mN

6715400mN

6715350mN

GEN78

GEN79

GEN84

GEN77

GEN86

GEN16

GEN65

GEN06

GEN12

GEN88

GEN104

1m@9.06 g/t Au

1m@9.31 g/t Au

1m@16.87 g/t Au

1m@27.01 g/t Au

1m@3.30 g/t Au

1m@34.46 g/t Au

1m@5.62 g/t Au

1m@5.89 g/t Au

1m@4.42 g/t Au

1m@3.42 g/t Au

0.2m@4.36 g/t Au

2.3m@13.25 g/t Au

1m@17.7 g/t Au

1m@10.23 g/t Au

1m@7.49 g/t Au

400mRL

400mRL

30m

40m

35m

55m

60m

60m

75m

70.3m

90m

100m

100m

350mRL

Table 1 – Goodenough Phase 4 &amp; 5 Drilling Results

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN05	313700	6715402	72	-90	51	52	<b>17.60</b>
*GEN08	313731	6715401	72	-90	51	52	<b>2.04</b>
*GEN11	313819	6715401	72	-90	52	53	1.09
*GEN12	313850	6715401	90	-90	64	65	<b>17.70</b>
					65	66	<b>2.93</b>
					67	68	1.45
					68	69	1.39
*GEN13	313879	6715402	96	-90	74	75	<b>2.55</b>
*GEN14	313910	6715401	78	-90	72	73	1.07
*GEN15	313900	6715466	60	-90	26	27	1.63
					38	39	<b>4.73</b>
					41	42	<b>2.91</b>
					42	43	0.56
					43	44	<b>3.00</b>
*GEN16	313836	6715442	60	-90	34	36	<b>2.26</b>
					36	37	0.95
					37	38	0.71
					40	41	0.96
					42	43	0.74
					57	58	0.97
*GEN17	313865	6715451	60	-90	30	31	0.94
					39	40	<b>11.20</b>
					42	43	1.97
					51	52	<b>2.14</b>
*GEN18	313971	6715424	97	-90	89	90	1.12
					90	91	<b>2.15</b>
					91	92	<b>3.57</b>
					92	93	<b>3.35</b>
					93	94	<b>7.27</b>
					94	95	0.62
*GEN19	314100	6715582	18	-90	2	3	1.00
					5	6	0.84
*GEN20	314096	6715571	18	-90	6	7	<b>2.10</b>
					7	8	0.68
					8	9	<b>4.04</b>
					12	13	<b>2.62</b>
*GEN21	314095	6715561	42	-90	14	15	1.54
					20	21	1.12
*GEN23	314076	6715565	24	-90	10	11	0.84
					11	12	<b>4.28</b>
					15	16	1.04
					16	17	0.74
					17	18	0.68
					18	19	1.34

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN24	314075	6715554	30	-90	7	8	0.80
					8	9	0.94
					10	11	0.80
					21	22	0.50
					22	23	<b>2.26</b>
					23	24	1.56
					24	25	1.92
*GEN25	314029	6715575	18	-90	1	2	0.52
					10	11	1.00
					12	13	1.24
					13	14	1.18
					14	15	0.54
*GEN26	314028	6715558	36	-90	18	19	0.76
					19	20	<b>5.46</b>
					20	21	<b>2.32</b>
					21	22	0.12
					22	23	<b>4.52</b>
					23	24	0.94
					24	25	1.54
					25	26	<b>5.70</b>
					26	27	<b>5.74</b>
					27	28	1.22
					28	29	1.04
29	30	0.66					
*GEN27	313990	6715559	18	-90	7	8	0.50
					8	9	<b>2.94</b>
					9	10	0.68
					10	11	0.62
					16	17	1.12
*GEN28	313990	6715544	36	-90	20	21	1.22
					21	22	<b>2.68</b>
					22	23	1.10
					28	29	1.18
*GEN29	314024	6715539	42	-90	2	3	0.86
					29	30	<b>17.80</b>
					35	36	<b>2.06</b>
					36	37	0.54
*GEN30	313954	6715542	24	-90	1	2	1.60
					13	14	<b>5.30</b>
					15	16	<b>2.22</b>
					16	17	0.52
*GEN31	313960	6715521	42	-90	26	27	<b>3.48</b>
					27	28	0.70
					29	30	<b>3.34</b>
*GEN32	313933	6715536	18	-90	9	10	<b>16.60</b>
					10	11	1.60
					11	12	0.52

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN33	313917	6715521	36	-90	15	16	<b>9.22</b>
					16	17	0.32
					17	18	0.72
					29	30	<b>2.58</b>
*GEN35	313946	6715425	168	-90	9	10	0.52
					12	13	0.86
					18	19	1.02
					79	80	0.98
					80	81	<b>5.86</b>
					81	82	<b>3.38</b>
					82	83	1.09
					92	93	0.95
					100	101	0.55
*GEN36	313993	6715427	107	-90	5	6	<b>2.54</b>
					9	10	<b>2.36</b>
					26	27	0.55
					42	43	<b>2.95</b>
					43	44	0.58
					82	83	<b>8.83</b>
					83	84	<b>4.82</b>
					94	95	1.15
					95	96	1.24
					96	97	<b>2.21</b>
					97	98	0.80
					98	99	0.30
					99	100	0.10
100	101	0.65					
101	102	<b>2.78</b>					
102	103	1.82					
103	104	0.54					
*GEN37	313924	6715403	109	-90	8	9	0.50
					51	52	1.77
					95	96	<b>2.41</b>
					96	97	<b>6.47</b>
					97	98	0.32
					98	99	<b>4.15</b>
*GEN38	313949	6715403	113	-90	4	5	<b>2.32</b>
					5	6	1.62
					33	34	0.64
					36	37	0.76
					73	74	1.25
					101	102	1.33
					102	103	1.08
					103	104	<b>32.00</b>
					104	105	<b>3.44</b>

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN39	313970	6715403	119	-90	17	18	1.24
					18	19	0.62
					19	20	<b>2.89</b>
					20	21	1.78
					35	36	1.63
					58	59	1.16
					59	60	1.34
					60	61	0.12
					61	62	0.17
					62	63	0.35
					63	64	1.32
					64	65	0.65
					65	66	<b>2.27</b>
					106	107	1.91
					107	108	<b>12.00</b>
					108	109	<b>5.17</b>
					109	110	<b>4.46</b>
					110	111	<b>6.16</b>
					111	112	<b>7.16</b>
					112	113	<b>3.51</b>
					113	114	<b>21.60</b>
					114	115	1.63
					117	118	<b>2.35</b>
					118	119	0.73
*GEN40	313995	6715405	138	-90	52	53	1.24
					53	54	1.30
					70	71	<b>2.50</b>
					77	78	1.35
					78	79	0.50
					108	109	0.59
					109	110	<b>4.19</b>
					110	111	<b>2.23</b>
					111	112	<b>4.31</b>
*GEN41	313902	6715386	167	-90	31	32	1.34
					39	40	1.05
					54	55	<b>5.13</b>
					55	56	0.99
					61	62	0.51
					65	66	0.66
					69	70	1.95
					87	88	1.14
					88	89	0.93
					89	90	<b>2.12</b>
					90	91	0.24
					91	92	0.07
					92	93	1.79
					93	94	<b>11.60</b>

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN41	continued				94	95	1.53
					100	101	0.87
					101	102	0.59
					117	118	<b>2.34</b>
					118	119	0.85
					125	126	0.51
*GEN42	313924	6715383	140	-90	36	37	0.75
					97	98	<b>8.21</b>
					103	104	0.74
					104	105	1.59
					106	107	<b>4.02</b>
					111	112	1.19
					117	118	1.93
					118	119	0.52
					119	120	0.57
*GEN43	313949	6715383	126	-90	13	14	0.61
					14	15	0.57
					47	48	0.72
					58	59	0.52
					68	69	0.55
					98	99	0.86
					99	100	<b>2.17</b>
					100	101	<b>2.47</b>
					118	119	1.00
					119	120	<b>9.68</b>
					120	121	<b>2.64</b>
					121	122	<b>2.28</b>
*GEN44	313970	6715384	151	-90	13	14	0.89
					16	17	<b>18.40</b>
					17	18	<b>12.40</b>
					18	19	0.72
					57	58	0.51
					65	66	<b>2.86</b>
					66	67	<b>2.87</b>
					69	70	0.58
					81	82	<b>2.25</b>
					100	101	0.67
					115	116	1.28
					128	129	<b>3.05</b>
					129	130	<b>6.28</b>
					130	131	0.98
					138	139	1.64
					139	140	<b>3.58</b>
*GEN46	313969	6715373	50	-90	7	8	1.16

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
TB1	313970	6715402	150	-90	18	19	1.01
					19	20	<b>6.50</b>
					20	21	0.64
					25	26	0.84
					38	39	0.63
					39	40	1.34
					60	61	<b>4.80</b>
					62	63	0.68
					67	68	1.89
					68	69	<b>6.64</b>
					69	70	0.53
					70	71	0.67
					71	72	0.70
					91	92	1.68
					103	104	<b>3.33</b>
					112	113	1.89
					113	114	1.67
114	115	<b>4.47</b>					
115	116	0.68					
116	117	0.88					
*GEN47	314000	6715530	45	-90	0	1	1.10
					8	9	<b>2.13</b>
					31	32	<b>3.63</b>
					32	33	<b>3.40</b>
					33	34	<b>2.36</b>
					34	35	<b>2.59</b>
					35	36	0.73
					36	37	1.12
37	38	0.67					
*GEN48	314075	6715530	40	-90	18	19	1.19
					19	20	<b>2.06</b>
					37	38	1.32
					38	39	1.05
39	40	0.88					
*GEN49	313960	6715505	50	-90	36	37	1.70
					37	38	1.86
					44	45	1.20
*GEN50	314000	6715505	60	-90	5	6	0.54
					22	23	0.51
					29	30	<b>23.69</b>
					48	49	0.94
					49	50	<b>2.89</b>
					50	51	1.32
					51	52	<b>2.78</b>
52	53	0.76					

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN51	314025	6715505	66	-90	3	4	0.58
					51	52	1.17
					58	59	1.34
					59	60	<b>4.13</b>
					60	61	<b>2.50</b>
					61	62	1.03
					62	63	0.71
*GEN52	314050	6715505	66	-90	9	10	<b>2.47</b>
					10	11	0.88
					11	12	0.71
					38	39	0.98
					39	40	0.42
					51	52	<b>3.63</b>
					52	53	<b>3.06</b>
					53	54	1.65
					56	57	0.65
					57	58	0.52
*GEN53	314075	6715505	55	-90	16	17	<b>2.38</b>
					17	18	<b>2.38</b>
					45	46	0.95
					46	47	0.55
					47	48	0.52
					53	54	0.75
*GEN54	313850	6715480	35	-90	21	22	1.15
					22	23	<b>16.87</b>
					23	24	<b>34.46</b>
					24	25	0.52
					25	26	1.20
					26	27	0.92
					27	28	1.25
					28	29	1.87
					29	30	1.43
					30	31	<b>2.33</b>
					31	32	0.60
					32	33	0.89
					33	34	0.69
					34	35	1.07
*GEN55	313910	6715480	55	-90	23	24	1.97
					28	29	0.78
					30	31	1.43
					35	36	1.18
					39	40	0.74
*GEN56	313935	6715480	55	-90	11	12	0.53
					30	31	0.66
					46	47	<b>4.61</b>
					47	48	1.97

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN57	313960	6715480	65	-90	3	4	1.62
					33	34	0.89
					53	54	<b>6.47</b>
*GEN58	314025	6715480	75	-90	12	13	0.55
					59	60	1.38
					69	70	<b>2.18</b>
*GEN59	314050	6715480	72	-90	20	21	<b>3.95</b>
					47	48	1.07
					60	61	0.64
					64	65	<b>5.09</b>
					66	67	0.89
					70	71	0.93
*GEN60	314075	6715480	72	-90	46	47	0.60
					49	50	0.54
					51	52	0.72
					52	53	<b>2.06</b>
					61	62	0.58
*GEN61	313910	6715455	75	-90	37	38	0.94
					48	49	0.80
					49	50	1.50
					50	51	0.70
					53	54	<b>5.19</b>
					54	55	<b>4.24</b>
					62	63	0.68
63	64	0.83					
*GEN62	313935	6715455	75	-90	48	49	1.19
					63	64	1.27
					64	65	1.79
					65	66	0.58
*GEN63	314000	6715455	100	-90	16	17	0.67
					40	41	<b>2.61</b>
					41	42	<b>2.47</b>
					58	59	0.68
					79	80	<b>2.23</b>
					80	81	0.51
					82	83	0.67
					83	84	<b>5.24</b>
					84	85	0.50
87	88	1.23					
98	99	0.70					
*GEN64	313960	6715455	85	-90	2	3	0.70
					20	21	<b>4.01</b>
					21	22	<b>4.89</b>
					22	23	1.69
					54	55	0.97
					70	71	1.95
71	72	<b>13.20</b>					

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
*GEN64	continued				75	76	<b>5.11</b>
					76	77	1.63
					77	78	<b>3.67</b>
					78	79	1.42
GEN65	313860	6715430	75	-90	36	37	0.72
					38	39	1.07
					41	42	1.60
					51	52	<b>4.43</b>
					52	53	<b>3.42</b>
					66	67	0.61
GEN66	313885	6715430	80	-90	41	42	<b>2.77</b>
					42	43	1.09
					59	60	1.07
					60	61	<b>5.81</b>
					61	62	1.48
					79	80	0.97
*GEN67	313910	6715430	96	-90	50	51	<b>2.50</b>
					60	61	1.40
					70	71	0.81
					71	72	<b>3.73</b>
					72	73	0.68
					85	86	<b>4.28</b>
					86	87	<b>2.00</b>
					87	88	0.89
					89	90	0.76
*GEN68	313850	6715375	100	-90	74	75	1.81
					75	76	<b>10.23</b>
					76	77	1.27
*GEN69	313880	6715350	150	-90	77	78	<b>4.84</b>
					84	85	0.68
					103	104	1.19
					108	109	0.75
					109	110	0.45
					112	113	0.69
					129	130	1.01
*GEN70	313925	6715335	175	-90	15	16	0.61
					28	29	0.56
					30	31	1.04
					31	32	0.83
					65	66	0.62
					88	89	0.56
					97	98	1.44
					146	147	0.66
					174	175	0.68

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
GEN71	314050	6715455	110	-90	69	70	<b>2.43</b>
					70	71	0.63
					73	74	<b>7.76</b>
					74	75	0.60
					76	77	1.24
					81	82	1.07
					82	83	0.05
					83	84	0.20
					84	85	0.92
					88	89	<b>3.49</b>
					89	90	<b>6.61</b>
					90	91	1.45
GEN72	314052	6715430	120	-90	9	10	1.41
					35	36	0.81
					66	67	0.71
					77	78	0.62
					79	80	0.83
					82	83	<b>10.73</b>
					85	86	<b>7.11</b>
					86	87	1.50
					87	88	0.77
					100	101	1.89
101	102	<b>17.59</b>					
118	119	0.66					
*GEN73	314050	6715405	140	-90	10	11	<b>23.78</b>
					11	12	<b>26.28</b>
					12	13	1.11
					106	107	0.92
					119	120	0.82
*GEN74	314025	6715385	150	-90	66	67	1.30
					111	112	1.27
					118	119	<b>4.39</b>
					128	129	0.55
					129	130	0.70
*GEN75	313970	6715335	175	-90	44	45	0.70
					76	77	0.75
					77	78	0.70
					85	86	0.62
					111	112	0.75
					114	115	<b>3.75</b>
					117	118	1.12
					151	152	<b>5.39</b>
155	156	<b>2.05</b>					
*GEN76	313829	6715506	42	-90	6	7	<b>2.88</b>
					11	12	0.60
					29	30	<b>4.64</b>
					36	37	0.74
					40	41	0.86

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au	
<b>* Previously Reported</b>								
*GEN77	313836	6715472	55	-90	21	22	0.69	
						22	23	<b>2.35</b>
						23	24	<b>2.64</b>
						24	25	0.33
						25	26	0.63
						26	27	0.68
*GEN78	313861	6715524	30	-90	0	1	<b>9.06</b>	
						1	2	<b>9.31</b>
						2	3	1.03
						6	7	0.51
*GEN79	313856	6715496	40	-90	14	15	1.19	
						15	16	1.32
						16	17	<b>27.01</b>
						17	18	1.75
						18	19	1.32
						21	22	<b>3.30</b>
						31	32	1.31
GEN81	313880	6715454	70	-90	45	46	1.83	
						46	47	<b>3.58</b>
						51	52	0.74
						57	58	0.57
						58	59	0.68
GEN83	313959	6715556	25	-90	6	7	0.91	
GEN84	313875	6715530	25	-90	13	14	0.53	
						17	18	0.50
GEN85	313982	6715498	65	-90	1	2	0.82	
						5	6	0.54
						45	46	0.65
						47	50	<b>2.49</b>
						51	54	0.94
GEN86	313980	6715468	85	-90	52	53	1.20	
						64	65	<b>19.99</b>
						65	66	1.58
						67	68	0.78
						68	69	0.94
						72	73	<b>2.34</b>
						73	74	1.33
						78	79	0.63
GEN87	314004	6715565	25	-90	4	5	1.54	
						9	10	<b>3.32</b>
						10	11	<b>3.73</b>
						11	12	<b>2.16</b>
						12	13	0.54
						14	15	<b>7.36</b>
						15	16	1.09
						16	17	1.90
						24	25	1.15

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
GEN88	314000	6715481	85	-90	5	6	1.17
					8	9	0.71
					9	10	<b>8.94</b>
					10	11	<b>12.84</b>
					11	12	<b>3.19</b>
					13	14	1.06
					16	17	0.83
					64	65	<b>3.11</b>
					65	66	1.67
					66	67	1.01
69	70	0.51					
GEN89	314011	6715589	25	-90	13	14	<b>2.40</b>
GEN90	314058	6715571	50	-90	11	12	<b>6.82</b>
					12	13	1.55
					23	24	1.40
					24	25	0.97
GEN91	314054	6715555	50	-90	19	20	<b>3.12</b>
					20	21	1.08
					22	23	1.98
					23	24	1.49
GEN92	314049	6715530	55	-90	36	37	0.89
					47	48	0.78
					48	49	0.51
GEN93	314075	6715595	40	-90	5	6	1.15
GEN96	313850	6715450	60	-90	32	33	<b>5.62</b>
					33	34	<b>5.89</b>
					34	35	0.82
					35	36	0.72
					36	37	0.60
GEN97	313825	6715457	60	-90	26	27	<b>3.00</b>
					27	28	<b>2.23</b>
					29	30	0.85
					30	31	<b>9.50</b>
					31	32	1.99
					32	33	0.86
					35	36	0.66
					36	37	1.33
GEN98	313825	6715425	65	-90	14	15	<b>6.07</b>
					30	31	0.94
					35	36	0.97
					38	39	0.66
					42	43	0.64
					46	47	0.79
GEN99	313825	6715525	35	-90	12	13	0.67
					16	17	0.51
					17	18	0.68
					19	20	0.50
					32	33	0.61

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
* Previously Reported GEN100	313800	6715475	50	-90	33	34	0.58
					34	35	1.12
					35	36	0.89
					42	43	1.84
GEN101	313800	6715450	57	-90	1	2	<b>2.84</b>
					11	12	0.50
					16	17	0.57
					17	18	0.59
					18	19	<b>6.07</b>
					19	20	1.25
					24	25	0.51
					36	37	0.68
					37	38	0.90
38	39	0.60					
45	46	<b>2.30</b>					
GEN102	313750	6715450	55	-90	24	25	0.61
					25	26	<b>2.19</b>
					28	29	0.51
					29	30	<b>2.01</b>
					30	31	0.67
					33	34	0.68
					42	43	0.53
GEN103	313750	6715480	60	-90	0	1	1.15
					1	2	<b>2.23</b>
					5	6	0.57
					6	7	0.99
					50	51	1.71
GEN104	313850	6715350	100	-90	57	58	0.57
					75	76	0.79
					83	84	<b>7.49</b>
					85	86	0.99
					86	87	1.17
GEN106	314100	6715455	110	-90	103	104	0.73
GEN111	314000	6715590	30	-90	19	20	0.57
GEN114	313775	6715450	50	-90	18	19	0.66
					20	21	1.05
					37	38	0.73
GEN115	313800	6715425	60	-90	32	33	<b>5.83</b>
					55	56	0.52
					56	57	1.08
GEN116	313775	6715425	48	-90	28	29	0.56
					44	45	1.06
GEN117	313750	6715425	40	-90	33	34	1.29
					38	39	<b>3.30</b>
					39	40	1.05
GEN118	313725	6715425	40	-90	23	24	0.56
					24	25	0.76

Hole ID	Easting	Northing	depth (metres)	Dip	From	To	Intersection Grade g/t Au
<b>* Previously Reported</b>							
GEN119	313725	6715450	40	-90	15	16	0.51
					34	35	0.54
					35	36	<b>2.92</b>
GEN120	313775	6715475	67	-90	12	13	0.95
					13	14	<b>3.62</b>
					14	15	1.14
					44	45	0.73
GEN121	313800	6715500	45	-90	14	15	0.69
					19	20	0.62
					24	25	1.68
					25	26	0.81
					26	27	0.50
					30	31	0.99
					39	40	0.56
41	42	0.82					